

[Web](#) [Images](#) [Maps](#) [News](#) [Video](#) [Gmail](#) [more ▾](#)
[Sign in](#)

independent platform test script metadata

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 20 of about 16,000 for independent platform test script metadata. (0.20 seconds)

Web QA Test Tool Links

Can also manage **meta data** and create automated **test scripts** to test **Test scripts** are browser and **platform independent** and tolerant to GUI changes. ...

www.zptest.com/webresources.html - 45k - [Cached](#) - [Similar pages](#)

Open source performance testing tools

Metadata constraints are imported from systems and/or configuration files. ... Requirement: **Platform Independent**. Download data: No data feed available ... To run a load **test**, you first create a **test script** using our **script editor**. ...

www.opensourcetesting.org/performance.php - 34k - [Cached](#) - [Similar pages](#)

[PDF] [SpeechRecorder](#) - a Universal **Platform Independent** Multi-Channel ...

File Format: PDF/Adobe Acrobat - View as HTML

SpeechRecorder is a **platform independent** audio recording software for speech corpus recordings. consists of a **meta-data** section and the **script** according to will perform a public beta **test** during the summer of 2004 ...

www.lrz-muenchen.de/~E.KN/pdf/mvp_grax.pdf - [Similar pages](#)

by C Draxler - Cited by 9 - [Related articles](#) - All 11 versions

Re: [testing] Peace (was: Re: svn commit: r419522 - in /incubator ...

Jul 24, 2006 ... I think using **metadata** in tests vs. physical **test** location wins. ... TestNG or my own **script**) must understand "word" > mark-up instead of just If adding new **platform-specific** tests is **independent** of the need to ...

[mail-archives.apache.org/mod_mbox/.../%3C2c597b90607240825h5e92480ucaa1932...](mailto:archives.apache.org/mod_mbox/.../%3C2c597b90607240825h5e92480ucaa1932...) - 17k - [Cached](#) - [Similar pages](#)

(WO/2005/071543) METHOD AND SYSTEM FOR CONVERSION OF AUTOMATION ...

Title: METHOD AND SYSTEM FOR CONVERSION OF AUTOMATION **TEST SCRIPTS** INTO ABSTRACT ... In essence provides a **platform independent** representation of **test cases**. ... by specific object information from an application **metadata** repository. ...

www.wipo.org/pctdb/en/wo.jsp?wo=2005071543 - 17k - [Cached](#) - [Similar pages](#)
by J WEST - 2005 - All 7 versions

2003 Metadata.fm7

Generate **platform** interfaces, code, **test scripts**, deployment **Meta-data** 06/03.

Automating bridges. **Platform-independent** model ...

www.damauk.org/2003Metadata.pdf - [Similar pages](#)

[PDF] [Achieving High Availability for the SAS® Metadata Server](#)

File Format: PDF/Adobe Acrobat

At the heart of the SAS Intelligence **Platform** is the SAS **Metadata**. Server. ... That is, requests to the server are **independent** and do not require the Each package has a run **script** and a halt **script** associated with it. ... The **test** client detected the failure of the SAS **Metadata** service by a loss of the TCP/IP ...

www2.sas.com/proceedings/sugi31/002-31.pdf - [Similar pages](#)

by S Holzworth

XeniaSOS - xenia - SOS (Sensor Observing Service) related Xenia ...

It would be good to see in addition to a service registry, a **test script** or ... SOS service is that the **platform metadata** regarding **platform start dates** are ...

code.google.com/p/xenia/wiki/XeniaSOS - 25k - [Cached](#) - [Similar pages](#)

Metronome Users | NMI Build and Test Lab

Jan 10, 2008 ... All **platform-independent** tasks in a run are executed on the submit host ... archive in the NMI framework: a full archive and a **metadata-only** archive. ... If you don't treat your build **scripts** as code, and archive, tag, ...

nmi.cs.wisc.edu/taxonomy/term/1 - 27k - [Cached](#) - [Similar pages](#)

[PDF] **Adobe Extensible Metadata Platform** in Newspapers and News Magazines

File Format: PDF/Adobe Acrobat

Adobe XMP: an extensible **metadata platform** built on the standards of users and provide a foundation for **independent** consultants and software development compa- ... simple level, this means having machines that **test** values of properties and ... **Script** reads. XMP **properties** and sets corresponding database fields ...

www.adobe.com/products/xmp/pdfs/xmp_news-mags_wp.pdf - Similar pages

[PDF] **Page 1 Biodiversity Information Standards (TDWG)** <http://www.tdwg...>

File Format: PDF/Adobe Acrobat - View as HTML

Dec 21, 2007 ... Preparation – **Platform Independent** Steps What RDF representation will be used to express LSID **metadata** ... You can check the versions of these Perl packages you have installed by running the **test script** ...

www.tdwg.org/uploads/media/TDWG-LSID-Setup-Guide-Perl.pdf - Similar pages

hywy's PE:J - The Productivity Environment for Java by Gopalan ...

Forward Engineers Java Source, JSP Applications, **Test Scripts**, and RDBMS Schemas ... Is **platform independent**. Will scale to very large deployments through ... Extensible Markup Language (XML), XML **Metadata** Interchange (XMI), and CORBA. ...

pejava.tripod.com/ - 38K - Cached - Similar pages

LNCS 3163 - DL Architecture for Indic Scripts

Platform Independent Representation: Indic **script** data is stored in ... OCR and **meta-data** extraction to generate XML representations of newspapers. ... Text Processing (TexP): Routines in the TexP unit are used to **test** linguistic ...

www.springerlink.com/index/JD62TLH0CDM6W3WY.pdf - Similar pages

by S Kompalli - 2004 - Related articles

[PDF] **Test Script 17: Audit verification**

File Format: PDF/Adobe Acrobat - View as HTML

the date and time of a change made to any **metadata** associated with electronic folders ...

Independent Travel \ Traveling at Night \ DocLG01. Notes on **test script 17** – Audit where this is appropriate for the **platform** supported ...

www.nationalarchives.gov.uk/documents/ts17_ts20.pdf - Similar pages

HandBrake • View topic - EyeTV metadata parsing

5 posts - 2 authors - Last post: Jan 28

But if I add a source file to the **test** directory to do this then it can't be ... to the merits of each route from a **platform independent** perspective. ... but it'd be a straightforward bash (or whatever) **script** to get the ...

forum.handbrake.fr/viewtopic.php?f=4&t=8814 - 16k - Cached - Similar pages

Complete Dose of Linux Poison: List of OpenSource Performance ...

Jul 23, 2008 ... **Metadata** constraints are imported from systems and/or configuration files.

... To run a load **test**, you first create a **test script** using our **script** editor. ... **Platform Independent** (Binaries for Linux and Windows) ...

linuxpoison.blogspot.com/2008/07/opensource-performance-testing-tools.html - 89k -

Cached - Similar pages

Data processing: software development, installation, and...

20080295067 - Flexible access to metamodels, **metadata**, and other program

Independent test scripts can be used to **test** screens of the software application. Them method can include mapping elements of a **platform independent** ...

www.freshpatents.com/Data-processing-software-development-installation-and-management-pt200811nct717.php - 80k - Cached - Similar pages

[PDF] **SOA Development Using the IBM Rational Software Development ...**

File Format: PDF/Adobe Acrobat - View as HTML

and are **platform-independent**, making it easier for businesses to automate ... **meta data** describing the service. The Reusable Asset Specification (RAS), an Several commercial solutions exist to automate **test scripts**. ...

[ftp://ftp.software.ibm.com/software/rational/web/whitepapers/G507-0956-00.pdf](http://ftp.software.ibm.com/software/rational/web/whitepapers/G507-0956-00.pdf) -

Similar pages

by A Brown - 2005 - Cited by 2 - Related articles

Gui Testing

Each run of the **test script** should be **independent** of all others: you ... choose values based on min/max **meta-data** for the controls, etc. So it's just an API for the development of - **platform independent** - ScreenScraper utilities. ...
c2.com/cgi/wiki?GuiTesting - 38k - [Cached](#) - [Similar pages](#)

bimethods, inc. Business Intelligence, Data Warehousing, **Metadata ... Independent** Validation & Verification ... System **Platform**. · Stress Testing. · Performance Testing ... bimethods follows a default workflow for the **Test** discipline over the course of a typical iteration in an ... **Test** Development: **Test** Procedures, **Test** Scenarios, **Test** Cases, **Test Scripts** to use in testing software. ...
www.bimethods.com/content.asp?CatId=270&ContentType=Practice-Areas - 41k - [Cached](#) - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 [Next](#)

Search within results - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)